Fundam. Clin. Pharmacol., 3 (1989) 695–699
© Elsevier, Paris

AUTHOR INDEX

A

Adamantidis M M — *See* Rouet R H *et al*, 237
Advenier C — *See* Matran R *et al*, 103
Albengres E — *See* Bree F *et al*, 267
Allain H — *See* Bentue-Ferrer D *et al*, 323
Allain P, Leblondel G & Granry J C, The effects of captopril and enalapril on tissue levels of various elements in spontaneously hypertensive rats, 329
Alvarino F — *See* Monti J M *et al*, 613
Argibay J A — *See* Bonnet P *et al*, 115
Association Française des Pharmacologistes — ***, Pharmacology congress, Lausanne, March 23-26, 1988, 128-182 — *** & the Nederlandse Verenniging voor Farmacologie, Pharmacology congress, Paris, March 2 - 3 (1989), 393-469
Athouel A — *See* Le Normand Y *et al*, 95
Attali J R — *See* Valensi P *et al*, 59
Auguet M, Delaflotte S, Pirotzky E, Clostre F & Braquet P, Role of endothelium on phenylephrine-triggered contractile events in aorta of spontaneously hypertensive rats, 657
Aupetit J F — *See* Lang J *et al*, 281
Autret E, Laugier J, Breteau M, Lionnet C & Furet Y, Is monitoring plasma levels of netilmicin necessary in neonates? 89

B

Ba B B, Iliadis A, Durand A, Berger Y, Necciari J & Cano J P, Effect of renal failure on the pharmacokinetics of ethyl loflazepate (Victan®) in man, 11
Badoual J — *See* Pons G *et al*, 589
Barzaghi N — *See* Pagani I *et al*, 27
Baudouy N — *See* Levy C *et al*, 37
Bekemeier H — *See* Schumann H H *et al*, 193
Belpaire F M, De Smet F, Chindavijak B, Fraeyman N & Bogaert M G, Effect of turpentine-induced inflammation on the disposition kinetics of propranolol, metoprolol, and antipyrine in the rat, 79
Bentue-Ferrer D, Philouze V, Pape D, Reymann J M, Allain H & Van Den Driessche J, Comparative evaluation of scavenger properties of exifone, piracetam and vinburnine, 323
Berg D — *See* Blancy E *et al*, 363
Berger Y — *See* Ba B B *et al*, 11
Bertrix L — *See* Lang J *et al*, 281
Biour M — *See* Weissenburger J *et al*, 67
Blanchard J C — *See* Levy C *et al*, 37
Blancy E, Canal P, Berg D & Bugat R, Cytotoxic effects of teniposide combined with *cis*-diammine-dichloroplatinum (II) on the *in vitro* Lewis lung carcinoma model: influence of the treatment schedule, 363
Blumberg A L — *See* Hieble J P *et al*, 621
Bogaert M G — *See* Belpaire F M *et al*, 79
Boissel J P — *See* Destors J M *et al*, 597
Bonnet P, Argibay J A & Garnier D, Contractile responses to hypoxia of isolated rings from the left branch of rabbit pulmonary artery, 115
Bounias M, Algebraic potential of the Hill equation as an alternative tool for plotting dose (or time)/effects relationships in toxicology: a theoretical study, 1
Braquet P — *See* Auguet M *et al*, 657
Bree F, Nguyen P, Urien S, Riant P, Albengres E, Fenner H & Tillement J P, Blood distribution of tenoxicam in humans: a particular HSA drug interaction, 267
Breteau M — *See* Autret E *et al*, 89
Brun V — *See* Levy C *et al*, 37
Bugat R — *See* Blancy E *et al*, 363
Burgess C D & Mellsop G W, Interaction between moclobemide and oral tyramine in depressed patients, 47

C

Cabanie M — *See* Ebeigbe A B *et al*, 223
Canal P — *See* Blancy E *et al*, 363
Cano J P — *See* Ba B B *et al*, 11

Carrier O — *See* Pons G *et al*, 589
Cavero I — *See* Lawson K, 689
Cheymol G — *See* Weissenburger J *et al*, 67
Chindavijak B — *See* Belpaire F M *et al*, 79
Clostre F — *See* Auguet M *et al*, 657
Corvol P & Menard J, Renin inhibition: immunological procedures and renin inhibitor peptides, 347
Costentin J — *See* Dutertre-Boucher D *et al*, 337
Crema F — *See* Pagani I *et al*, 27

D

Damase-Michel C — *See* Valet P *et al*, 307
De Champlain J — *See* Lamontagne D *et al*, 673
De Dieuleveult C — *See* Le Normand Y *et al*, 95
De Smet F — *See* Belpaire F M *et al*, 79
De Villepoix C — *See* Le Normand Y *et al*, 95
Defrance R — *See* Lachatre G *et al*, 19
Delaflotte S — *See* Auguet M *et al*, 657
Destors J M, Boissel J P, Philippon A M & Schbath J, Controlled clinical trial of bepridil, propranolol and placebo in the treatment of exercice induced angina pectoris, 597
Dumont D — *See* Lachatre G *et al*, 19
Dupuis B A — *See* Rouet R H *et al*, 237
Durand A — *See* Ba B B *et al*, 11
Duroux P — *See* Matran R *et al*, 103
Dutertre-Boucher D, Naudin B & Costentin J, Characteristics of the dopamine receptors involved in the anorectic effects of apomorphine in mice, 337

E

Ebeigbe A B, Cabanie M & Godfraind T, Effects of cicletanine on histamine-induced contractions of isolated rabbit mesenteric arteries, 223
Ego D — *See* Pagani I *et al*, 27

F

Faucon G — *See* Lang J *et al*, 281
Favari L — *See* Mourelle M *et al*, 183
Fenner H — *See* Bree F *et al*, 267
Ferry A, Jaillon P, Lecocq B, Lecocq V & Jozefczak C, Pharmacokinetics and effects on exercise heart rate of PK 11195 (52028 RP), an antagonist of peripheral benzodiazepine receptors, in healthy volunteers, 383
Flaim K E — *See* Hieble J P *et al*, 621
Fraeyman N — *See* Belpaire F M *et al*, 79
Franco T — *See* Mourelle M *et al*, 183
Fujita T, Hasan S, Storer B L & Shebuski R J, Effect of selective endoperoxide/thromboxane A_2 receptor antagonism with sulotroban on tPA-induced thrombolysis in a rabbit model of femoral arterial thrombosis, 645
Furet Y — *See* Autret E *et al*, 89

G

Gaillard G — *See* Montastruc J L *et al*, 667
Garnier D — *See* Bonnet P *et al*, 115
Godfraind T — *See* Ebeigbe A B *et al*, 223
Goze O — *See* Levy C *et al*, 37
Granry J C — *See* Allain P *et al*, 329

H

Hasan S — *See* Fujita T *et al*, 645
Heckle J — *See* Weissenburger J *et al*, 67
Hieble J P, Sulpizio A C, Sarau H M, Flaim K E, Blumberg A L, McCafferty J P & Zeid R L, SK&F 89124, a potent and selective agonist at prejunctional dopamine receptors, 621
Hirschelmann R — *See* Schumann H H *et al*, 193

I

Iliadis A — *See* Ba B B *et al*, 11

J

Jaillon P — *See* Weissenburger J *et al*, 67 — *See* Ferry A *et al*, 383
Jarreau F X — *See* Weissenburger J *et al*, 67
Jozefczak C — *See* Ferry A *et al*, 383

L

Labraga P — *See* Monti J M *et al*, 613
Lachatre G, Piva C, Riche C, Dumont D,

Defrance R, Mocaer E & Nicot G, Single-dose pharmacokinetics of amineptine and of its main metabolite in healthy young adults, 19
Laduron P M — *See* Levy C *et al*, 37
Lamontagne D, Rochette L, Vermeulen M, Yamaguchi N, Nadeau R & De Champlain J, Effect of sotalol against reperfusion-induced arrhythmias in Sprague-Dawley and Wistar rats, 673
Lancon J P — *See* Lang J *et al*, 281
Lang J, Timour Q, Lancon J P, Aupetit J F, Bertrix L & Faucon G, Effects of isoproterenol and propranolol on pharmacologically induced depression of intraventricular conduction, 281
Langner A — *See* Schumann H H *et al*, 193
Larousse C — *See* Le Normand Y *et al*, 95
Laugier J — *See* Autret E *et al*, 89
Lawson K & Cavero I, (—)-Bay k 8644 liberates a contractant factor from the endothelium of the rat aorta, 689
Le Normand Y, De Dieuleveult C, Athouel A, Queinnec M C, De Villepoix C & Larousse C, Pharmacokinetics of lidocaine and bupivacaine in retrobulbar and facial block, 95
Leblondel G — *See* Allain P *et al*, 329
Lecocq B — *See* Ferry A *et al*, 383
Lecocq V — *See* Ferry A *et al*, 383
Levy C, Baudouy N, Brun V, Goze O, Zundel J L, Blanchard J C & Laduron P M, High affinity acceptor sites in guinea pig brain for [^{3}H]52770 RP, a PAF antagonist, 37
Lionnet C — *See* Autret E *et al*, 89

M

Matran R, Naline E, Advenier C & Duroux P, *In vitro* desensitization of β-adrenoceptors in guinea pig trachea: interactions between β-adrenoceptor agonists and influence of adenosine and other drugs, 103
McCafferty J P — *See* Hieble J P *et al*, 621
Meléndez E — *See* Mourelle M *et al*, 199
Mellsop G W — *See* Burgess C D, 47
Menard J — *See* Corvol P, 347
Mocaer E — *See* Lachatre G *et al*, 19
Modan M — *See* Shohat J *et al*, 53
Montastruc J L — *See* Valet P *et al*, 307 — ***, Gaillard G, Rascol O, Tran M A & Montastruc P, Effect of apomorphine on adrenal medullary catecholamine levels, 667
Montastruc P — *See* Valet P *et al*, 307 — *See* Montastruc J L *et al*, 667
Monti J M, Pyneiro G, Alvarino F & Labraga P, Combined effects of midazolam and ethanol on sleep and on psychomotor performance in normal subjects, 613
Moran C — *See* Pons G *et al*, 589
Mourelle M — ***, Muriel P, Favari L & Franco T, Prevention of CCl_4-induced liver cirrhosis by silymarin, 183 — ***, Reyes J L & Meléndez E, Plasma membrane lipids modulate the response to water deprivation in rat kidney, 199
Muriel P — *See* Mourelle M *et al*, 183

N

Nadeau R — *See* Lamontagne D *et al*, 673
Naline E — *See* Matran R *et al*, 103
Naudin B — *See* Dutertre-Boucher D *et al*, 337
Necciari J — *See* Ba B B *et al*, 11
Nederlandse Verenniging voor Farmacologie — *See* Association Française des Pharmacologistes, 393-469
Nguyen P — *See* Bree F *et al*, 267
Nicolas P — *See* Valensi P *et al*, 59
Nicot G — *See* Lachatre G *et al*, 19

O

Olive G — *See* Pons G *et al*, 589

P

Pagani I, Barzaghi N, Crema F, Perucca E, Ego D & Rovei V, Pharmacokinetics of dextromoramide in surgical patients, 27
Pape D — *See* Bentue-Ferrer D *et al*, 323
Papp M — *See* Varga G *et al*, 295
Perret G — *See* Valensi P *et al*, 59
Perucca E — *See* Pagani I *et al*, 27
Philippon A M — *See* Destors J M *et al*, 597
Philouze V — *See* Bentue-Ferrer D *et al*, 323
Pirotzky E — *See* Auguet M *et al*, 657
Piva C — *See* Lachatre G *et al*, 19
Poirier J M — *See* Weissenburger J *et al*, 67
Pons G, Rey E, Carrier O, Richard M O, Moran C, Badoual J & Olive G, Maturation of AFMU excretion in infants, 589
Prostran M & Varagic V M, The effect of 5'-*N*-ethylcarboxamideadenosine on the

isolated hemidiaphragm of the rat during direct and indirect electrical stimulation, 371
Pyneiro G — *See* Monti J M *et al*, 613

Q

Queinnec M C — *See* Le Normand Y *et al*, 95

R

Rascol O — *See* Montastruc J L *et al*, 667
Rathsack R — *See* Schumann H H *et al*, 193
Rey E — *See* Pons G *et al*, 589
Reyes J L — *See* Mourelle M *et al*, 199
Reymann J M — *See* Bentue-Ferrer D *et al*, 323
Riant P — *See* Bree F *et al*, 267
Richard M O — *See* Pons G *et al*, 589
Riche C — *See* Lachatre G *et al*, 19
Rochette L — *See* Lamontagne D *et al*, 673
Rosenfeld J B — *See* Shohat J *et al*, 53
Rouet R H, Tisne-Versailles J, Adamantidis M M, Vincent A & Dupuis B A, Comparative *in vivo* and *in vitro* study of the cardiac effects of midalcipran and imipramine, 237
Rovei V — *See* Pagani I *et al*, 27
Ruffolo R Jr — *See* Shebuski R J *et al*, 211

S

Sarau H M — *See* Hieble J P *et al*, 621
Saxena P R, Cardiovascular effects from stimulation of 5-hydroxytryptamine receptors, 245
Scarpignato C — *See* Varga G *et al*, 295
Schbath J — *See* Destors J M *et al*, 597
Schumann H H, Langner A, Rathsack R, Bekemeier H & Hirschelmann R, Pharmacological modulation of neurogenic inflammation, 193
Shebuski R J — ***, Smith J M Jr & Ruffolo R Jr, Effect of dopamine, ibopamine, and epinine on α- and β-adrenoceptors in canine pulmonary circulation, 211 — *See* Fujita T *et al*, 645
Shohat J, Modan M & Rosenfeld J B, Bopindolol: long-term effects on blood pressure, renal function, plasma renin activity, and plasma aldosterone in mild-to-moderate essential hypertension, 53
Smith J M Jr — *See* Shebuski R J *et al*, 211
Storer B L — *See* Fujita T *et al*, 645
Sulpizio A C — *See* Hieble J P *et al*, 621

T

Tillement J P, Blood distribution of tenoxicam in humans: a particular HSA drug interaction, 267
Timour Q — *See* Lang J *et al*, 281
Tisne-Versailles J — *See* Rouet R H *et al*, 237
Tran M A — *See* Montastruc J L *et al*, 667

U

Urien S — *See* Bree F *et al*, 267
Uzzan B — *See* Valensi P *et al*, 59

V

Valensi P, Perret G, Vassy R, Uzzan B, Nicolas P & Attali J R, Effect of nifedipine on thyrotropin, prolactin, and thyroid hormone release in man: a placebo-controlled study, 59
Valet P, Damase-Michel C, Montastruc J L & Montastruc P, Plasma catecholamines and adrenoceptors after chronic sinoaortic denervation in dogs, 307
Van Den Driessche J — *See* Bentue-Ferrer D *et al*, 323
Varagic V M — *See* Prostran M, 371
Varga G, Papp M & Scarpignato C, Pancreatic secretory and trophic response to caerulein in rats: effect of proglumide and lorglumide, 295
Vassy R — *See* Valensi P *et al*, 59
Vermeulen M — *See* Lamontagne D *et al*, 673
Vincent A — *See* Rouet R H *et al*, 237

W

Weissenburger J, Heckle J, Biour M, Poirier J M, Jarreau F X, Jaillon P & Cheymol G, Comparative hemodynamic study of a new aminosteroid: LND-623 with its 20α-isomer: LND-369, and with digoxin and digoxigenin-rhamnoside in the anesthetized dog, 67

Y

Yamaguchi N — *See* Lamontagne D *et al*, 673

Z

Zeid R L — *See* Hieble J P *et al*, 621
Zundel J L — *See* Levy C *et al*, 37

Fundam. Clin. Pharmacol., 3 (1989) 701–707
© Elsevier, Paris

KEY-WORD INDEX

A

α_1-Acid glycoprotein — Effect of turpentine-induced inflammation on the disposition kinetics of propranolol, metoprolol, and antipyrine in the rat, 79

Acceptor sites — High affinity acceptor sites in guinea pig brain for [^{3}H]52770 RP, a PAF antagonist, 37

Acetylator phenotyping — Maturation of AFMU excretion in infants, 589

Action potential — Comparative *in vivo* and *in vitro* study of the cardiac effects of midalcipran and imipramine, 237

Adenosine — *In vitro* desensitization of β-adrenoceptors in guinea pig trachea: interactions between β-adrenoceptor agonists and influence of adenosine and other drugs, 103

Adrenal medulla — Effect of apomorphine on adrenal medullary catecholamine levels, 667

Adrenergic neurotransmission — SK&F 89124, a potent and selective agonist at prejunctional dopamine receptors, 621

β-Adrenergic receptor agonists — *In vitro* desensitization of β-adrenoceptors inguinea pig trachea: interactions between β-adrenoceptor agonists and influence of adenosine and other drugs, 103

β-Adrenoceptor desensitization — *In vitro* desensitization of β-adrenoceptors in guinea pig trachea: interactions between β-adrenoceptor agonists and influence of adenosine and other drugs, 103

α-Adrenoceptors — Effect of dopamine, ibopamine, and epinine on α- and β-adrenoceptors in canine pulmonary circulation, 211

β-Adrenoceptors — Effect of dopamine, ibopamine, and epinine on α- and β-adrenoceptors in canine pulmonary circulation, 211

Alloxan-induced diabetes — Comparative evaluation of scavenger properties of exifone, piracetam and vinburnine, 323

Amineptine — Single-dose pharmacokinetics of amineptine and of its main metabolite in healthy young adults, 19

Aminoglucoside — Is monitoring plasma levels of netilmicin necessary in neonates? 89

Aminophylline — The effect of 5'-*N*-ethylcarboxamideadenosine on the isolated hemidiaphragm of the rat during direct and indirect electrical stimulation, 371

Angina pectoris — Controlled clinical trial of bepridil, propranolol and placebo in the treatment of exercice induced angina pectoris, 597

Anorexia — Characteristics of the dopamine receptors involved in the anorectic effects of apomorphine in mice, 337

Anti-PAF — High affinity acceptor sites in guinea pig brain for [^{3}H]52770 RP, a PAF antagonist, 37

Anti-renin — Renin inhibition: immunological procedures and renin inhibitor peptides, 347

Antidepressant drug — Comparative *in vivo* and *in vitro* study of the cardiac effects of midalcipran and imipramine, 237

Antipyrine — Effect of turpentine-induced inflammation on the disposition kinetics of propranolol, metoprolol, and antipyrine in the rat, 79

Aorta — Role of endothelium on phenylephrine-triggered contractile events in aorta of spontaneously hypertensive rats, 657

Apomorphine — Characteristics of the dopamine receptors involved in the anorectic effects of apomorphine in mice, 337 — Effect of apomorphine on adrenal medullary catecholamine levels, 667

Arrhythmias — Comparative *in vivo* and *in vitro* study of the cardiac effects of midalcipran and imipramine, 237

B

(—)-Bay k 8644 — (—)-Bay k 8644 liberates a contractant factor from the endothelium of the rat aorta, 689

Bepridil — Controlled clinical trial of bepridil, propranolol and placebo in the treatment of exercice induced angina pectoris, 597

Binding — High affinity acceptor sites in guinea pig brain for [^{3}H]52770 RP, a PAF antagonist, 37

Binding sites — Blood distribution of tenoxicam in humans: a particular HSA drug interaction, 267

Blood vessels — Cardiovascular effects from stimulation of 5-hydroxytryptamine receptors, 245

Bopindolol — Bopindolol: long-term effects on blood pressure, renal function, plasma renin activity, and plasma aldosterone in mild-to-moderate essential hypertension, 53

Brain — High affinity acceptor sites in guinea pig brain for [^{3}H]52770 RP, a PAF antagonist, 37

Bupivacaine — Pharmacokinetics of lidocaine and bupivacaine in retrobulbar and facial block, 95 — Effects of isoproterenol and propranolol on pharmacologically induced depression of intraventricular conduction, 281

C

Caerulein — Pancreatic secretory and trophic response to caerulein in rats: effect of proglumide and lorglumide, 295

Caffeine — Effects of cicletanine on histamine-induced contractions of isolated rabbit mesenteric arteries, 223 — Maturation of AFMU excretion in infants, 589

Calcium — Role of endothelium on phenylephrine-triggered contractile events in aorta of spontaneously hypertensive rats, 657

Calcium antagonists — Effect of nifedipine on thyrotropin, prolactin, and thyroid hormone release in man: a placebo-controlled study, 59

Calcium pools — Effects of cicletanine on histamine-induced contractions of isolated rabbit mesenteric arteries, 223

Captopril — The effects of captopril and enalapril on tissue levels of various elements in spontaneously hypertensive rats, 329

Carbon tetrachloride — Prevention of CCl_4-induced liver cirrhosis by silymarin, 183

Cardiotoxicity — Comparative *in vivo* and *in vitro* study of the cardiac effects of midalcipran and imipramine, 237

Cardiovascular pharmacology — Pharmacokinetics and effects on exercise heart rate of PK 11195 (52028 RP), an antagonist of peripheral benzodiazepine receptors, in healthy volunteers, 383

Cardiovascular system — Cardiovascular effects from stimulation of 5-hydroxytryptamine receptors, 245

CCK — Pancreatic secretory and trophic response to caerulein in rats: effect of proglumide and lorglumide, 295

CCK-receptor antagonists — Pancreatic secretory and trophic response to caerulein in rats: effect of proglumide and lorglumide, 295

Cibenzoline — Effects of isoproterenol and propranolol on pharmacologically induced depression of intraventricular conduction, 281

Cicletanine — Effects of cicletanine on histamine-induced contractions of isolated rabbit mesenteric arteries, 223

Cirrhosis — Prevention of CCl_4-induced liver cirrhosis by silymarin, 183

***Cis*-diammine-dichloroplatinum** — Cytotoxic effects of teniposide combined with *cis*-diammine-dichloroplatinum (II) on the *in vitro* Lewis lung carcinoma model: influence of the treatment schedule, 363

Class III antiarrhythmic agents — Effect of sotalol against reperfusion-induced arrhythmias in Sprague-Dawley and Wistar rats, 673

Controlled clinical trial — Controlled clinical trial of bepridil, propranolol and placebo in the treatment of exercice induced angina pectoris, 597

D

D_2 dopamine receptors — Effect of apomorphine on adrenal medullary catecholamine levels, 667

DA_2 receptor — SK&F 89124, a potent and selective agonist at prejunctional dopamine receptors, 621

Developmental pharmacology — Maturation of AFMU excretion in infants, 589

Dextromoramide — Pharmacokinetics of dextromoramide in surgical patients, 27

Digoxin — Comparative hemodynamic study of a new aminosteroid: LND-623 with its 20 α-isomer: LND-369, and with digoxin and digoxigenin-rhamnoside in the anesthetized dog, 67

Dog — Comparative hemodynamic study of a new aminosteroid: LND-623 with its 20 α-isomer: LND-369, and with digoxin and digoxigenin-rhamnoside in the anesthetized dog, 67

Dopamine — Effect of dopamine, ibopamine, and epinine on α- and β-adrenoceptors in canine pulmonary circulation, 211 — Effect of apomorphine on adrenal medullary catecholamine levels, 667

Dopamine receptors — Characteristics of the dopamine receptors involved in the anorectic effects of apomorphine in mice, 337

Dose-effect — Algebraic potential of the Hill equation as an alternative tool for plotting dose (or time)/effects relationships in toxicology: a theoretical study, 1

E

EDCF — (—)-Bay k 8644 liberates a contractant factor from the endothelium of the rat aorta, 689

Enalapril — The effects of captopril and enalapril on tissue levels of various elements in spontaneously hypertensive rats, 329

Endothelium — Contractile responses to hypoxia of isolated rings from the left branch of rabbit pulmonary artery, 115 — Role of endothelium on phenylephrine-triggered contractile events in aorta of spontaneously hypertensive rats, 657 — (—)-Bay k 8644 liberates a contractant factor from the endothelium of the rat aorta, 689

Epinine — Effect of dopamine, ibopamine, and epinine on α- and β-adrenoceptors in canine pulmonary circulation, 211

Ethyl loflazepate — Effect of renal failure on the pharmacokinetics of ethyl loflazepate (Victan®) in man, 11

Etoposide — Cytotoxic effects of teniposide combined with *cis*-diammine-dichloroplatinum (II) on the *in vitro* Lewis lung carcinoma model: influence of the treatment schedule, 363

Exifone — Comparative evaluation of scavenger properties of exifone, piracetam and vinburnine, 323

Exocrine pancreas — Pancreatic secretory and trophic response to caerulein in rats: effect of proglumide and lorglumide, 295

F

Free radicals — Comparative evaluation of scavenger properties of exifone, piracetam and vinburnine, 323

G

Glomerular filtration rate — Bopindolol: long-term effects on blood pressure, renal function, plasma renin activity, and plasma aldosterone in mild-to-moderate essential hypertension, 53

H

Healthy adults — Single-dose pharmacokinetics of amineptine and of its main metabolite in healthy young adults, 19

Healthy volunteers — Pharmacokinetics and effects on exercise heart rate of PK 11195 (52028 RP), an antagonist of peripheral benzodiazepine receptors, in healthy volunteers, 383

Heart — Cardiovascular effects from stimulation of 5-hydroxytryptamine receptors, 245

Hemodynamic — Comparative hemodynamic study of a new aminosteroid: LND-623 with its 20 α-isomer: LND-369, and with digoxin and digoxigenin-rhamnoside in the anesthetized dog, 67

High performance liquid chromatography — Single-dose pharmacokinetics of amineptine and of its main metabolite in healthy young adults, 19

Hill equation — Algebraic potential of the Hill equation as an alternative tool for plotting dose (or time)/effects relationships in toxicology: a theoretical study, 1

Histamine H_1 receptors — Effects of cicletanine on histamine-induced contractions of isolated rabbit mesenteric arteries, 223

HSA — Blood distribution of tenoxicam in humans: a particular HSA drug interaction, 267

5-Hydroxytryptamine — Cardiovascular effects from stimulation of 5-hydroxytryptamine receptors, 245

5-Hydroxytryptamine receptors — Cardiovascular effects from stimulation of 5-hydroxytryptamine receptors, 245

Hypertension — Bopindolol: long-term effects on blood pressure, renal function, plasma renin activity, and plasma aldosterone in mild-to-moderate essential hypertension, 53 — Cardiovascular effects from stimulation of 5-hydroxytryptamine receptors, 245 — Plasma catecholamines and adrenoceptors after chronic sinoaortic denervation in dogs, 307 — Renin inhibition: immunological procedures and renin inhibitor peptides, 347

Hypoxia — Contractile responses to hypoxia of isolated rings from the left branch of rabbit pulmonary artery, 115

I

Ibopamine — Effect of dopamine, ibopamine, and epinine on α- and β-adrenoceptors in canine pulmonary circulation, 211

In vitro — Cytotoxic effects of teniposide combined with *cis*-diammine-dichloroplatinum (II) on the *in vitro* Lewis lung carcinoma model: influence of the treatment schedule, 363

Inflammation — Effect of turpentine-induced inflammation on the disposition kinetics of propranolol, metoprolol, and antipyrine in the rat, 79

Interactions — Cytotoxic effects of teniposide combined with *cis*-diammine-dichloroplatinum (II) on the *in vitro* Lewis lung carcinoma model: influence of the treatment schedule, 363

Intraventricular conduction — Effects of isoproterenol and propranolol on pharmacologically induced depression of intraventricular conduction, 281

Isolated hemidiaphragm — The effect of 5'-*N*-ethylcarboxamideadenosine on the isolated hemidiaphragm of the rat during direct and indirect electrical stimulation, 371

Isoprenaline — *In vitro* desensitization of β-adrenoceptors in guinea pig trachea: interactions between β-adrenoceptor agonists and influence of adenosine and other drugs, 103

Isoproterenol — Effects of isoproterenol and propranolol on pharmacologically induced depression of intraventricular conduction, 281

L

Lidocaine — Pharmacokinetics of lidocaine and bupivacaine in retrobulbar and facial block, 95

Liver — Prevention of CCl_4-induced liver cirrhosis by silymarin, 183

LND-623 — Comparative hemodynamic study of a new aminosteroid: LND-623 with its 20 α-isomer: LND-369, and with digoxin and digoxigenin-rhamnoside in the anesthetized dog, 67

Lorglumide — Pancreatic secretory and trophic response to caerulein in rats: effect of proglumide and lorglumide, 295

M

MAOI — Interaction between moclobemide and oral tyramine in depressed patients, 47

Metoprolol — Effect of turpentine-induced inflammation on the disposition kinetics of propranolol, metoprolol, and antipyrine in the rat, 79

Mice — Characteristics of the dopamine receptors involved in the anorectic effects of apomorphine in mice, 337

Midazolam, ethanol — Combined effects of midazolam and ethanol on sleep and on psychomotor performance in normal subjects, 613

Migraine — Cardiovascular effects from stimulation of 5-hydroxytryptamine receptors, 245

Moclobemide — Interaction between moclobemide and oral tyramine in depressed patients, 47

N

NECA — The effect of 5'-*N*-ethylcarboxamideadenosine on the isolated hemidiaphragm of the rat during direct and indirect electrical stimulation, 371

Neonate — Is monitoring plasma levels of netilmicin necessary in neonates? 89

Netilmicin — Is monitoring plasma levels of netilmicin necessary in neonates? 89

Neurogenic inflammation — Pharmacological modulation of neurogenic inflammation, 193

Newborn — Plasma membrane lipids modulate the response to water deprivation in rat kidney, 199

Nifedipine — Effect of nifedipine on thyrotropin, prolactin, and thyroid hormone release in man: a placebo-controlled study, 59

NREM sleep — Combined effects of midazolam and ethanol on sleep and on psychomotor performance in normal subjects, 613

O

Open-chest rats — Effect of sotalol against reperfusion-induced arrhythmias in Sprague-Dawley and Wistar rats, 673

Ophthalmology — Pharmacokinetics of lidocaine and bupivacaine in retrobulbar and facial block, 95

P

Pentobarbital — Comparative hemodynamic study of a new aminosteroid: LND-623 with its 20 α-isomer: LND-369, and with digoxin and digoxigenin-rhamnoside in the anesthetized dog, 67

Peripheral benzodiazepine receptors — Pharmacokinetics and effects on exercise heart rate of PK 11195 (52028 RP), an antagonist of peripheral benzodiazepine receptors, in healthy volunteers, 383

Pharmacogenetics — Maturation of AFMU excretion in infants, 589

Pharmacokinetics — Single-dose pharmacokinetics of amineptine and of its main metabolite in healthy young adults, 19 — Pharmacokinetics of dextromoramide in surgical patients, 27 — Effect of turpentine-induced inflammation on the disposition kinetics of propranolol, metoprolol, and antipyrine in the rat, 79 — Is monitoring plasma levels of netilmicin necessary in neonates? 89 — Pharmacokinetics of lidocaine and bupivacaine in retrobulbar and facial block, 95 — Pharmacokinetics and effects on exercise heart rate of PK 11195 (52028 RP), an antagonist of peripheral benzodiazepine receptors, in healthy volunteers, 383

Pharmacology congress — Proceedings, 127, 393

Piracetam — Comparative evaluation of scavenger properties of exifone, piracetam and vinburnine, 323

PK 11195 — Pharmacokinetics and effects on exercise heart rate of PK 11195 (52028 RP), an antagonist of peripheral benzodiazepine receptors, in healthy volunteers, 383

Plasma aldosterone — Bopindolol: long-term effects on blood pressure, renal function, plasma renin activity, and plasma aldosterone in mild-to-moderate essential hypertension, 53

Plasma catecholamines — Plasma catecholamines and adrenoceptors after chronic sinoaortic denervation in dogs, 307

Plasma renin activity — Bopindolol: long-term effects on blood pressure, renal function, plasma renin activity, and plasma aldosterone in mild-to-moderate essential hypertension, 53

Platelet aggregation — Effect of selective endoperoxide/thromboxane A_2 receptor antagonism with sulotroban on tPA-induced thrombolysis in a rabbit model of femoral arterial thrombosis, 645

Platelet alpha$_2$ adrenoceptors — Plasma catecholamines and adrenoceptors after chronic sinoaortic denervation in dogs, 307

Proglumide — Pancreatic secretory and trophic response to caerulein in rats: effect of proglumide and lorglumide, 295

Prolactin — Effect of nifedipine on thyrotropin, prolactin, and thyroid hormone release in man: a placebo-controlled study, 59

Propranolol — Effect of turpentine-induced inflammation on the disposition kinetics of propranolol, metoprolol, and antipyrine in the rat, 79 — Effects of isoproterenol and propranolol on

pharmacologically induced depression of intraventricular conduction, 281 — Controlled clinical trial of bepridil, propranolol and placebo in the treatment of exercice induced angina pectoris, 597

Protein binding — Effect of turpentine-induced inflammation on the disposition kinetics of propranolol, metoprolol, and antipyrine in the rat, 79 — Blood distribution of tenoxicam in humans: a particular HSA drug interaction, 267

Pulmonary artery — Contractile responses to hypoxia of isolated rings from the left branch of rabbit pulmonary artery, 115

Pulmonary circulation — Effect of dopamine, ibopamine, and epinine on α- and β-adrenoceptors in canine pulmonary circulation, 211

R

Rabbit — Contractile responses to hypoxia of isolated rings from the left branch of rabbit pulmonary artery, 115 — Effect of selective endoperoxide/thromboxane A_2 receptor antagonism with sulotroban on tPA-induced thrombolysis in a rabbit model of femoral arterial thrombosis, 645

Rabbit mesenteric artery — Effects of cicletanine on histamine-induced contractions of isolated rabbit mesenteric arteries, 223

Rat — Pharmacological modulation of neurogenic inflammation, 193

Rat aorta — (—)-Bay k 8644 liberates a contractant factor from the endothelium of the rat aorta, 689

Rat kidney — Plasma membrane lipids modulate the response to water deprivation in rat kidney, 199

Regional anesthesia — Pharmacokinetics of lidocaine and bupivacaine in retrobulbar and facial block, 95

REM sleep — Combined effects of midazolam and ethanol on sleep and on psychomotor performance in normal subjects, 613

Renal blood flow — Bopindolol: long-term effects on blood pressure, renal function, plasma renin activity, and plasma aldosterone in mild-to-moderate essential hypertension, 53

Renal failure — Effect of renal failure on the pharmacokinetics of ethyl loflazepate (Victan®) in man, 11

Renal membrane lipids — Plasma membrane lipids modulate the response to water deprivation in rat kidney, 199

Renin — Renin inhibition: immunological procedures and renin inhibitor peptides, 347

Renin-angiotensin system — Renin inhibition: immunological procedures and renin inhibitor peptides, 347

Reperfusion arrhythmias — Effect of sotalol against reperfusion-induced arrhythmias in Sprague-Dawley and Wistar rats, 673

S

SHR — Role of endothelium on phenylephrine-triggered contractile events in aorta of spontaneously hypertensive rats, 657

Silimarin — Prevention of CCl_4-induced liver cirrhosis by silymarin, 183

Single dose — Single-dose pharmacokinetics of amineptine and of its main metabolite in healthy young adults, 19

Sinoaortic denervation — Plasma catecholamines and adrenoceptors after chronic sinoaortic denervation in dogs, 307

Skeletal muscle — The effect of 5'-*N*-ethylcarboxamideadenosine on the isolated hemidiaphragm of the rat during direct and indirect electrical stimulation, 371

Sotalol — Effect of sotalol against reperfusion-induced arrhythmias in Sprague-Dawley and Wistar rats, 673

Substance P — Pharmacological modulation of neurogenic inflammation, 193

Substituted phenethylamines — SK&F 89124, a potent and selective agonist at prejunctional dopamine receptors, 621

Sympatholytic drugs — SK&F 89124, a potent and selective agonist at prejunctional dopamine receptors, 621

T

Teniposide — Cytotoxic effects of teniposide combined with *cis*-diammine-dichloroplatinum (II) on the *in vitro* Lewis lung carcinoma model: influence of the treatment schedule, 363

Tenoxicam — Blood distribution of tenoxicam in humans: a particular HSA drug interaction, 267

Theoretical toxicological indexes — Algebraic potential of the Hill equation as an alternative tool for plotting dose (or time)/effects relationships in toxicology: a theoretical study, 1

Thromboxane A_2 — Effect of selective endoperoxide/thromboxane A_2 receptor antagonism with sulotroban on tPA-induced thrombolysis in a rabbit model of femoral arterial thrombosis, 645

Thromboxane receptor antagonism — Effect of selective endoperoxide/thromboxane A_2 receptor antagonism with sulotroban on tPA-induced thrombolysis in a rabbit model of femoral arterial thrombosis, 645

Thyroid hormones — Effect of nifedipine on thyrotropin, prolactin, and thyroid hormone release in man: a placebo-controlled study, 59

Thyrotropin — Effect of nifedipine on thyrotropin, prolactin, and thyroid hormone release in man: a placebo-controlled study, 59

Time-effect plots — Algebraic potential of the Hill equation as an alternative tool for plotting dose (or time)/effects relationships in toxicology: a theoretical study, 1

Tissue content of elements — The effects of captopril and enalapril on tissue levels of various elements in spontaneously hypertensive rats, 329

Tissue electrolytes — The effects of captopril and enalapril on tissue levels of various elements in spontaneously hypertensive rats, 329

Tissue plasminogen activator (tPA) — Effect of selective endoperoxide/thromboxane A_2 receptor antagonism with sulotroban on tPA-induced thrombolysis in a rabbit model of femoral arterial thrombosis, 645

Toxicology — Algebraic potential of the Hill equation as an alternative tool for plotting dose (or time)/effects relationships in toxicology: a theoretical study, 1

Trace elements — The effects of captopril and enalapril on tissue levels of various elements in spontaneously hypertensive rats, 329

Turpentine — Effect of turpentine-induced inflammation on the disposition kinetics of propranolol, metoprolol, and antipyrine in the rat, 79

Tyramine — Interaction between moclobemide and oral tyramine in depressed patients, 47

V

Vascular smooth muscle — Contractile responses to hypoxia of isolated rings from the left branch of rabbit pulmonary artery, 115

Ventricular myocardium — Comparative *in vivo* and *in vitro* study of the cardiac effects of midalcipran and imipramine, 237

Vinburnine — Comparative evaluation of scavenger properties of exifone, piracetam and vinburnine, 323

W

Water deprivation — Plasma membrane lipids modulate the response to water deprivation in rat kidney, 199

X

XAC — The effect of 5'-*N*-ethylcarboxamideadenosine on the isolated hemidiaphragm of the rat during direct and indirect electrical stimulation, 371